

We believe in spaces that are not only designed for living, but for making memories and enjoying life.

Prism Hardscapes is a progressive company that focuses on well designed outdoor living products. We are committed to current architectural trends, visionary designs, coupled with handcrafted techniques that allow for products that are beautiful as well as affordable. We are always at the forefront of exceptional product design, quality, and value in the outdoor living space.

Backed by over 100 years of experience, Natco Home is a family owned business that was established in 1917. Natco Home is one of the largest and most respected companies in the Home Textiles, and Outdoor Living Products industries with wholly owned manufacturing facilities in Georgia, Maine, California and Toronto, as well as several joint ventures in China, Poland, Egypt, Turkey and Mexico. Natco Home delivers today's hottest home fashion colors and designs at surprisingly affordable price points.

05	Moderno 1	21	Pentola 1
05	Moderno 2	21	Pentola 2
06	Moderno 3	22	Pentola 3
06	Moderno 4	22	Scatola
80	Moderno 5	24	Pebble
80	Moderno 6	24	Rotondo
09	Moderno 8	25	Lombard
12	Tavola 1	25	Embarcadero
12	Tavola 2	28	Propane Enclo
13	Tavola 3	29	Lombard (Ped
13	Tavola 4	29	Embarcadero
14	Tavola 5	30	Moderno 70
14	Tavola 6	32	Embarcadero
16	Tavola 7	33	Largo 72
16	Tavola 8	34	Rotondo 80
17	Tavola 42	36	Fuego Series
17	Tavola 66 Slim	38	EDEL Copper l
18	Tavola 110	40	Tuscany Colle
20	Porto 58	41	Tavola 72 Narr
20	Porto 68	42	Piazza

Pentola 1	43	Cilindro
Pentola 2	44	Triton
Pentola 3	46	Ovale
Scatola	49	Fairmont
Pebble	50	Hampton
Rotondo	51	Manchester
Lombard	52	Falo (Wood Burning Unit)
Embarcadero	54	Fire Media
Propane Enclosures	56	PH-Ignite
Lombard (Pedestal)	57	Ignition Options
Embarcadero (Pedestal)	59	Burner Assembly
Moderno 70	61	Divano
Embarcadero 60		
Largo 72		
Rotondo 80		
Fuego Series		
EDEL Copper Units		
Tuscany Collection		
Tavola 72 Narrow Series		

We believe in spaces that are designed for living, making memories, and enjoying life.









SPECIFICATIONS

Diameter	39"
Height	18"
Surface	1½"
Burner Size	15"/65,000 BTUs
Weight	210 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock







Moderno 2



Diameter	29"
Height	12"
Surface	23/4"
Burner Size	15"/65,000 BTUs
Weight	90 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock









SPECIFICATIONS

30"
18"
3"
15"/65,000 BTUs
125 lbs.
LP or NG
Key valve
Glass fiber reinforced concrete
Lava rock






Moderno 4



Diameter	48"
Height	17"
Surface	6" (also available in 4")
Burner Size	18"/65,000 BTUs
Weight	400 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock








Diameter 36" Height 16" Surface 5½" Burner Size 15"/65,000 BTUs Weight 250 lbs. Fuel Source LP or NG

Glass fiber reinforced concrete

Key valve

Lava rock

36 5½ 25 5½



Moderno 6


Ignition


Material

Media




SPECIFICATIONS		
Diameter	39"	
Height	15"	
Surface	5½"	
Burner Size	15"/65,000 BTUs	
Weight	275 lbs.	
Fuel Source	LP or NG	
Ignition	Key valve	
Material	Glass fiber reinforced concrete	
Media	Lava rock	








Diameter	39"
Height	18"
Surface	5"
Burner Size	15"/65,000 BTUs
Weight	225 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock













SPECIFICATIONS

Width	38"
Length	56"
Height	16"
Surface	11"
Burner Size	24"/65,000 BTUs
Weight	360 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock

56 11 34 11






Tavola 2



or controlled		
Width	36"	
Length	36"	
Height	16"	
Surface	81/4"	
Burner Size	15"/65,000 BTUs	
Weight	240 lbs.	
Fuel Source	LP or NG	
Ignition	Key valve	
Material	Glass fiber reinforced concrete	
Media	Lava rock	








SPECIFICATIONS

Width	48"
Length	48"
Height	16"
Surface	11"
Burner Size	18"/65,000 BTUs
Weight	450 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock
	•









Tavola 4




3FECIFICATION3		
38"		
66"		
16"		
16"/11"		
24"/65,000 BTUs		
500 lbs.		
LP or NG		
Key valve		
Glass fiber reinforced concrete		
Lava rock		
















SPECIFICATIO

Width	50"
Length	60"
Height	16"
Surface	16"
Burner Size	24"/65,000 BTUs
Weight	500 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock








Tavola 8



31 ECHICATIONS	
Width	32"
Length	60"
Height	16"
Surface	13"/8"
Burner Size	24"/65,000 BTUs
Weight	320 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lavarock








SPECIFICATIONS 42" Width 42" Length 16" Height 11¾" Surface Burner Size 15"/65,000 BTUs Weight 360 lbs. LP or NG Fuel Source Ignition Key valve

Glass fiber reinforced concrete






Tavola 66 slim

Material


Media




Lava rock

SPECIFICATIONS	
SPECIFICATIONS	


Width	30"
Length	66"
Height	16"
Surface	16"/9"
Burner Size	24"/65,000 BTUs
Weight	320 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock








Width	38"
Length	110"
Height	16"
Surface	11"
Burner Size	80"/90,000 BTUs
Weight	750 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock










Porto 58 (Enclosed Propane Unit)




SPECIFICATIONS	
Width	38"
Length	58"
Height	22"
Surface	12"/11"
Burner Size	24"/65,000 BTUs
Weight	450 lbs.
Fuel Source	Enclosed propane unit
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock



Porto 68 (Enclosed Propane Unit)




SPECIFICATIONS	
Width	38"
Length	68"
Height	22"
Surface	17"/11"
Burner Size	24"/65,000 BTUs
Weight	550 lbs.
Fuel Source	Enclosed propane unit
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock











Pentola 1



SPECIFICATIONS

Diameter	24"
Height	28"
Burner Size	15"/65,000 BTUs
Weight	150 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock







Pentola 2



or Londonionio	
Diameter	24"
Height	21"
Burner Size	15"/65,000 BTUs
Weight	125 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock







Pentola 3 (Enclosed Propane Unit)



SPECIFICATIONS

Diameter	24"
Height	26"
Burner Size	15"/65,000 BTUs
Weight	135 lbs.
Fuel Source	Enclosed propane
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock







Scatola



or companions	
Width	20"
Height	18"
Surface	3"
Burner Size	6"/65,000 BTUs
Weight	130 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock









Pebble



SPECIFICATIONS

Width	38"
Length	56"
Height	16"
Burner Size	24" / 65,000 BTUs
Weight	350 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock







Rotondo



Diameter	48"
Height	18"
Surface	11"
Burner Size	18"/65,000 BTUs
Weight	430 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock







Lombard



SPECIFICATIONS	
Width	40"
Height	18"
Surface	63/4"
Burner Size	18"/65,000 BTUs
Weight	280 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock







Embarcadero



SPECIFICATIONS	
48"	
15"	
7"	
18"/65,000 BTUs	
225 lbs.	
LP or NG	
Key valve	
Glass fiber reinforced concrete	
Lava rock	









Propane Enclosures



TAV SPECIFICATIONS

IAV SI ECITICATIONS	
Width	20"
Height	21½"
Weight	100 lbs.
Material	Glass fiber reinforced concrete



MOD SPECIFICATIONS

Diameter	20"
Height	21½"
Weight	100 lbs.
Material	Glass fiber reinforced concrete




SAUSALITO SPECIFICATIONS

Width	16"
Height	21"
Weight	100 lbs.
Material	Glass fiber reinforced concrete





ORINDA SPECIFICATIONS


Diameter	15"
Height	20"
Weight	100 lbs.
Material	Glass fiber reinforced concrete
	-



Tav









Lombard (Pedestal)



SPECIFICATIONS	
Width	29"
Length	29"
Height	10"
Surface	3"
Burner Size	15"/65,000 BTUs
Weight	90 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock







Embarcadero (Pedestal)




Diameter	31"
Height	10"
Surface	2½"
Burner Size	15"/65,000 BTUs
Weight	90 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lavarock
	·







SPECIFICATIONS


Diameter	70"
Height	18"
Surface	6" (also available in 14")
Burner Size	22"/125,000 BTUs
Weight	650 lbs.
Fuel Source	Natural gas or Liquid propane (larger tanks only)
Ignition	PH-Ignite (Electronic)
Material	Glass fiber reinforced concrete
Media	Tumbled lava rock







70






Embarcadero 60

SPECIFICATIONS

Diameter	60"
Height	16"
Surface	17½"
Burner Size	18"/125,000 BTUs
Weight	550 lbs.
Fuel Source	Natural gas or Liquid propane (larger tanks only)
Ignition	PH-Ignite (Electronic)
Material	Glass fiber reinforced concrete
Media	Tumbled lava rock




18" STAR BURNER
304 STAINLESS STEEL
122,000 BTU
304 STAINLESS STEEL
BURNER PAN

PHISITE
Electronic Ignition System
(Or Key Valve)


EMERGENCY SHUT OFF VALVE
AVAILABLE UPON REQUEST








SPECIFICATIONS

Width	72"
Length	72"
Height	16"
Surface	12"
Burner Size	22"/125,000 BTUs
Weight	910 lbs.
Fuel Source	Natural gas or Liquid propane (large tanks only)
Ignition	PH-Ignite (Electronic)
Material	Glass fiber reinforced concrete
Media	Tumbled lava rock










Largo 72


Largo 96 also available

SPECIFICATIONS

Diameter	80"
Height	18"
Surface	12"
Burner Size	22"/125,000 BTUs
Weight	700 lbs.
Fuel Source	Natural gas or Liquid propane (larger tanks only)
Ignition	PH-Ignite (Electronic)
Material	Glass fiber reinforced concrete
Media	Tumbled lava rock



12 56 12 18 16






Rotondo 80



Fuego Series






Fuego 89 Specifications


/ ₂ " -	Diameter	89"
	Height	161/2"
	Surface	24"
	Burner Size	22"/125,000 BTUs
	Weight	1050 lbs.
	Fuel Source	Natural gas or Liquid propane (large tanks only)
	Ignition	PH-Ignite (Electronic)
	Material	Glass fiber reinforced concrete/Powder coated steel
	Media	Tumbled lava rock

Fuego 54



Fuego 54 Specifications

roego 34 specifications	
Diameter	54"
Height	161/2"
Surface	121/2"
Burner Size	22"/125,000 BTUs
Weight	550 lbs.
Fuel Source	Natural gas or Liquid propane (large tanks only)
Ignition	PH-Ignite (Electronic)
Materials	Glass fiber reinforced concrete/Powder coated steel
Media	Tumbled lava rock



22




EDEL Copper Units




MODERNO 1

SPECIFICATIONS

Diameter	39"
Surface	3"
Height	18"
Burner Size	15"/65,000 BTUs
Weight	71 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Bush hammered copper
Media	Tumbled lava rock







39





Diameter	30"
Surface	3"
Height	18"
Burner Size	15"/65,000 BTUs
Weight	51 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Bush hammered copper
Media	Tumbled lava rock










MODERNO 3

MODERNO 4

Diameter	48"
Surface	4"
Height	17"
Burner Size	18"/65,000 BTUs
Weight	102 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Materials	Bush hammered copper
Media	Tumbled lava rock







Tuscany Collection

Available Summer 2021

Models:

- Cilindro
- Rotondo
- Tavola 4
- Tavola 42
- Moderno 4



Coastal (New Color)








Ebony

Pewter

Ultra White



Diameter	36"
Height	18"
Surface	61/2"
Burner Size	15"/65,000 BTUs
Weight	350 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock



SPECIFICATIONS

Width	24"
Length	72"
Height	16"
Surface	12"/6"
Burner Size	37"/65,000 BTUs
Weight	400 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock










Tavola 72 Narrow Series

Piazza



Width	39"
Length	39"
Height	15¾"
Surface	3½"
Burner Size	15"/65,000 BTUs
Weight	360 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lavarock









Cilindro




Diameter	36"
Height	18"
Surface	61/2"
Burner Size	15"/65,000 BTUs
Weight	350 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock









Triton





Diameter	48"
Height	18"
Surface	8"
Burner Size	15"/65,000 BTUs
Weight	400 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Material	Glass fiber reinforced concrete
Media	Lava rock
	•







Ovale

Width	45"	
Length	79"	
Height	18"	
Surface	10"	
Burner Size	30"/65,000 BTUs	
Weight	320 lbs.	
Fuel Source	LP or NG	
Ignition	PH-Ignite (Electronic)/Key valve	
Material	Glass fiber reinforced concrete	
Media	Tumbled lava rock	
	· · · · · · · · · · · · · · · · · · ·	









Elements Collection

Our Elements Collection offers beautiful pieces that combine 3 main elements: wood, concrete, and metal. A stout powder-coated metal frame is the foundation for all of the collection's fire features. Sturdy glass fiber reinforced concrete makes for a durable yet smooth-looking top centerpiece. While South American hardwood adds a decorative and refined appearance. The contrasting organic and industrial elements combine to create a look that is both intriguing and timeless.







Hampton





Manchester

Fairmont




SPECIFICATIONS 35¾" Width 72¾'' Length Height 17" 91/2" Surface **Burner Size** 37"/65,000 BTUs Weight 450 lbs. Fuel Source LP or NG Ignition Key valve Glass fiber reinforced concrete Brazilian wood (outer) Metal frame (inner) Materials Media Tumbled lava rock






Hampton

Diameter	48"
Height	18"
Surface	11"
Burner Size	18"/65,000 BTUs
Weight	430 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Materials	Glass fiber reinforced concrete Brazilian wood (outer) Metal frame (inner)
Media	Tumbled lava rock









Manchester

Width	42"
Length	42"
Height	16"
Surface	12"
Burner Size	12"/65,000 BTUs

Weight	450 lbs.
Fuel Source	LP or NG
Ignition	Key valve
Materials	Glass fiber reinforced concrete Brazilian wood (outer) Metal frame (inner)
Media	Tumbled lava rock








Falò (Wood Burning)



SPECIFICATIONS

Diameter	21"	
Height	10½"	
Weight	30 lbs.	
Fuel Source	Wood	
Material	Glass fiber reinforced concrete	
Burner Pan	High temp powder coated steel	

















create the perfect environment

• fire anytime, anywhere.

With Falòs' lightweight and portable design, you can create the perfect lighting, warmth and ambiance for an evening with friends & family.

• modern design

Falò uses the perfect blend of design and modern materials to create the lightweight, sleek look of the fire bowl, while maintaining the integrity of the materials under extreme conditions.

portability

Falò uses state of the art technology to create the perfect accessory for your outdoor setting. Lightweight yet strong, use Falò at your home, or take it with you for an outdoor adventure. Falò's quick assembly allows for easy travel and set up.




Fire Media

Prism Hardscapes offers multiple fire feature medias including:


- -3/4" Lava Rock
- Tumbled Lava Rock
- Fire Glass (7 colors)







ENGINEERING



PH-Ignite Electronic Ignition System

Hassle-Free Ignition, Zero Worries

Hot Surface Ignition

Robust and reliable ignition.

Waterproof Pilot Connector

Corrosion proof electrical connection.

Compact Design

Conveniently fits into your fire feature.

Electronic Ignition

Convenient fire feature lighting and instant flame monitoring.

Weatherproof/Anti-Corrosion Enclosure

Protects internal components from harsh weather and is built to last.

12 VAC Inlet Power

Compliant with National Electrical code 2014, article 68. May be installed within five feet of pool water.





*Burner not included. System connects to existing fire feature burner.

Ignition Options

- Key Valve
- Battery Ignition
- Electronic







Key Valve



Fuel Source	Propane Gas (LP) or Natural Gas (NG)
Ignition	Manual Key Turn
Ignition Source	Match Lit





Battery Ignition

SPECIFICATIONS

Fuel Source	Propane Gas (LP) or Natural Gas (NG)
Ignition	Press Button Start w/Safety Auto Cut-o
Ignition Source	Battery Spark






Electronic

Fuel Source	Propane Gas (LP) or Natural Gas (NG)
Ignition	Electric Switch
Ignition Source	Electric Spark





- Made in the USA
- 65,000 BTU's
- Key Valve Ignition
- 304 Stainless Steel
- Tested to meet CSA/ANSI standards
- 2-year Warranty





DIVANO

EDEL Hospitality Collection

GFRC Color Options







Cushion/Pillow Color Options (Sold Separately)




Basis White





Basis Pewter



Basis Slate Gray








CRAFTSMANSHIP

From concept to finished product, outstanding craftsmanship is present in every aspect of our process. Each of our products has been hand-crafted using our own patina finishing process guaranteeing a one-of-a-kind subtle variation and creation.







Live Outdoors



Prism Hardscapes creates dependable and custom outdoor living products to help bring your ideas and visions to life.

Breaking ground on a new project is key, but planning before-hand is crucial. This means selecting products in different colors, shapes and sizes that will create the ideal outdoor living space to fit your lifestyle and vision. Let Prism Hardscapes help get you there.

