# 2023 POOL PRODUCT GUIDE




PRISIN hardscapes




Prism Hardscapes proudly presents the Poolsid elements of a beautiful poolside area to outdoo the combination of fire and water that will dazzl soothing sounds of falling water. e Collection, a line of products that bring two r living spaces. Live in the lap of luxury with e the night and allow anyone to relax to the

## Sorrento


SPECIFICATIONS	
Diameter	33"
Height	18″
Water Flow	15 GPM
Connection	¾″ NPT
Burner Size	15" 6-spoke/65,000-85,000 BTUs (ML/E)
Weight	196 lbs.
Fuel Source	Liquid Propane or Natural Gas
Ignition	PH-Ignite (Electronic)/Key Valve (match lite)
Material	Glass fiber reinforced concrete
Media	Lava rock






## Lombard-P


-	
SPECIFICATIONS	
Length/Width	29″
Height	10"
Water Flow	15 GPM
Connection	3⁄4″ NPT
Burner Size	15″ 6-spoke/65,000-85,000 BTUs (ML/E)
Weight	90 lbs.
Fuel Source	Liquid Propane or Natural Gas
Ignition	PH-Ignite (Electronic)/Key Valve (match lite)
Material	Glass fiber reinforced concrete
Media	Lava rock






## Lombard-P Tall


SPECIFICATIONS	
Length/Width	32″
Height	15¾"
Water Flow	15 GPM
Connection	¾″ NPT
Burner Size	15" 6-spoke/65,000-85,000 BTUs (ML/E)
Weight	280 lbs.
Fuel Source	Liquid Propane or Natural Gas
Ignition	PH-Ignite (Electronic)/Key Valve (match lite)
Material	Glass fiber reinforced concrete
Media	Lava rock






## Ibiza


SPECIFICATIONS	
Length/Width	31¼″
Height	16¼″
Water Flow	15 GPM
Connection	¾″ NPT
Burner Size	15" 6-spoke/65,000-85,000 BTUs (ML/E)
Weight	176 lbs.
Fuel Source	Liquid Propane or Natural Gas
Ignition	PH-Ignite (Electronic)/Key Valve (match lite)
Material	Glass fiber reinforced concrete
Media	Lava rock






### Toscano


SPECIFICATIONS	
Diameter	33″
Height	18¼″
Water Flow	15 GPM
Connection	¾″ NPT
Burner Size	15″ 6-spoke/65,000-85,000 BTUs (ML/E)
Weight	180 lbs.
Fuel Source	Liquid Propane or Natural Gas
Ignition	PH-Ignite (Electronic)/Key Valve (match lite)
Material	Glass fiber reinforced concrete
Media	Lava rock






## Verona


SPECIFICATIONS	
Diameter	32½″
Height	14¾″
Water Flow	15 GPM
Connection	¾" NPT
Burner Size	15" 6-spoke/65,000-85,000 BTUs (ML/E)
Weight	140 lbs.
Fuel Source	Liquid Propane or Natural Gas
Ignition	PH-Ignite (Electronic)/Key Valve (match lite)
Material	Glass fiber reinforced concrete
Media	Lava rock






## Moderno 2-P

SPECIFICATIONS	
Diameter	29″
Height	12″
Water Flow	15 GPM
Connection	¾″ NPT
Burner Size	15″ 6-spoke/65,000-85,000 BTUs (ML/E)
Weight	110 lbs.
Fuel Source	Liquid Propane or Natural Gas
Ignition	PH-Ignite (Electronic)/Key Valve (match lite)
Material	Glass fiber reinforced concrete
Media	Lava rock







We believe in spaces that are designed for living, making memories, and enjoying life.



Fire



Water



Fire & Water



Lombard-P Tall



Lombard-P



Verona



## Ibiza



## Moderno 2-P



## Toscano



Sorrento

# **PH-Ignite Electronic Ignition System**

## SMART, SAFE, CONVENIENT

## Hassle-Free Ignition, Zero Worries

### 12 VAC Inlet Power

Compliant with National Electrical code 2014, article 68.

May be installed within five feet of pool water.

Weatherproof/Anti-Corrosion Enclosure

Protects internal components from harsh weather and is built to last.

#### **Electronic Ignition**

Convenient fire feature lighting and instant flame monitoring.

**Hot Surface Ignition** 


Robust and reliable ignition.

#### Waterproof Pilot Connector

Corrosion-proof electrical connection.

#### **Compact Design**

Conveniently fits into your fire feature.





### FIRE FEATURE COLOR OPTIONS



### FIRE MEDIA OPTIONS

Lava Rock (Standard)









# PRISMHARDSCAPES.COM

